















محترم بخش علوم تشریح دانشگاه علوم پزشکی تربیت مدرس که در انجام این پروژه زحمات زیادی متحمل شدند تشکر و قدردانی می شود

تشکر و قدردانی

بدینوسیله از جناب آقای پوربیرانوند و سرکار خانم ابراهیمی کارشناسان

منابع:

- 1- Mc Donald J W, Liu X Z, QU Y. transplantation of embryonic stem cells in to the injured spinal cord reduces functional deficits. *Naure Med* 1999; 5:1410-1412.
- 2-Tessler A, Himes B T, Royahn C. Enhancement of adult dorsal root regeneration by embryonic spinal cord transplants. *Progress in Brain Research* 1988; 78: 213-351.
- 3- Jaconi M. Embryonic stem cells; new possible therapy of degenerative diseases *Therumsh* 2002; 5: 588-595.
- 4- Chopp M, Zangx H, Liv. Spinal cord injury in rat treatment with bone marrow stromal cell transplantation. *Neuroreport* 2000; 11: 3001-3005.
- 5- Wus, Suzuki Y, Ejiri Y. Bone marrow stromal Cells enhance differentiation spinal cord. *Neuroscience Res* 2003; 12: 354-351.
- 6- Chopp M. Li Y. Treatment of neural injury with marrow stromal cells. *The lancet Neur* 2002; 92-100.
- 7- Akiyama Y, Radtke C, Kocsis J D. Remyelination of the Rat spinal cord by Transplantation of Identified Bone Marrow Stromal cells. *Neurosci* 2002; 1, 22 (15): 6623-6630.
- 8- Mahmood A. Lu D, Yil, Chent L. Intracranial bone Marrow transplantation after traumatic brain injury improving function outcome in adult. *Neurosurg* 2001; 94: 589-595.
- 9- Li, Chen J, Wany L. Intracerebral transplantation of bone marrow cell in a 1-methyl-A- Phenyl – 2,3,6-tetrahydropyridine mouse model of parkinson's disease. *Neurosci let* 2001; 316: 67-70.
- 10- Seung Y, Hyung J, Jin S Y. The survival and migration pattern of the Bone marrow stromal cells after intracerebral transplantation in Rats. *J. korean Neurosurg* 2004; 36: 400-404.
- 11- Chopp M, Zangx H, Liv. Spinal cord injury in rat treatment with bone marrow stromal cell transplantation. *Neuroreport* 2000;11: 3001-3005.
- 12- Pittenger M F, Marshak D R. Mesenchymal stem cells of human adult bone marrow. *cold spring Harbar NewYork; cold spring Harbar Laboratory press* 2001; 349-374.
- 13- Gwak Y S, Nam T S, Paik K S. Attenuation of mechanical hyperalgesia following spinal cord injury by administration of antibodies to nerve growth factor in the rat. *Neuroscience Letter* 2003; 336:117-120.
- 14- Ludewig PM, Cook TM, Nawdeezenski DA. Three-dimensional scapular orientation and muscle activity at selected Positions of homeral elevation. *JOSPT* 1996; 24 (2): 57-65
- 15- Zhao Z M, Li H Y. Intraspinal transplantation of CD34+human umbilical cord blood after spinal cord hemisection injury improve functional recovery in adult rats. *Cell Trans* 2004;13 (12): 113-122.
- 16- Bruder S P, Jainwal N. Growth kinetics self-renewal and the osteogenic potential of purified human mesenchymal stem cells during extensive subcultivation and following cryopreservation. *Cell Biochem* 2002; 64: 278-294.
- 17- Hofstetter C P, Schwarz E J, Hess D, Widenfalk J; Marrow stromal cell from guiding strands in the injured Spinal cord and promote recovery. *PNAS* 2002; (99) 4: 2199-2204.
- 18- Sanchez –Romaz J, song S, Cardozo F. Adult Bone marrow stromal cells differentiate into neural cells in vitro. *Experimental Neuro* 2000;164: 247-256.
- 19- Masayoshi O, Toshishisa S, Toru N, Yoko E. Bone Marrow stromal cells infused in to the cerebrospinal fluid promote functional recovery of the injured rat spinal cord with reduced cavity formation. *Experimental Neuro*; 2003; (Article: in press).
- 20- Cramer S C, Chopp M. Recovery recapitulates ontogeny. *Trends Neurosci* 2000; 23: 265-241.
- 21- Stroemer R P, Kent T A, Hulsebosch C E. Neocortical neural sprating, synaptogenesis and behavioral recovery after neocortical infarction in rats. *stroke* 1995; 26: 2135-2144.
- 22-Hamano k, Li T S , Kobayashi S. Angiogenesis induced by the implantation of self – bone marrow cells, a new material for therapeutic angiogenesis. *Cell Trans* 2000; 9: 439-443.
- 23- Tamada Y, Fukiage C, Boyle D L, Azuma M. Involvement of cysteine proteases in b FGF- induced angiogenesis in guina pig and rat cornea. *Ocul Pharmacothera* 2000; 16: 271-283.
- 24-Chopp M, Li Y, Jiong N. Increase in apoptosis and concomitant reduction of ischemic lesion volume and evidence for synaptogenesis after transient focal cerebral ischemia in treated with staurosporine. *Brain Res* 1999; 828: 197-201.
- 25-Dormady S P, Bashayan O, Dougherty R. Immortalized multipotential mesenchymal cellsand the hematopoitic microenviroment; *Hem. stem cell Res* 2001; 10:125- 140.
- 26- Mc Keon R J, Hoke A, Silver J. Injury – induced proteolycans inhibit the potential for lamini mediated axon growth on astrocytic scars. *Exp Neurol* 1995; 13:132-143.
- 27-Li Y, Chopp M, Jiong N. In situ detection of DNA fragmentation after focal cerebral ischemia in mice. *Brain Res. Mol* 1995; 28: 164-168.